

KEOSOFT RW CONC

Silicon microemulsion, softener suitable for all types of fabrics



CHARACTERISTICS

Chemical composition:

elastomeric polysiloxane microemulsion

Ionic charge:

cationic - non ionic

Appearance:

clear liquid, slightly opalescent

pH (t.q.):

4 - 6

Solubility in water:

soluble in cold water

Shelf life:

12 months

FIELD OF APPLICATIONS

- **KEOSOFT RW CONC** gives to treated fabrics a full and soft hand. It improves the sewability and the resistance to abrasion and lacerations. No yellowing.
- **KEOSOFT RW CONC** can be used with exhaustion or impregnation method for knitted or woven fabrics and garments

INSTRUCTION FOR USE

The dosage depends on the material used and to the desired result. Is not suitable for applications in Jet.
Generally:

01. By **padding**: 5 - 30 g/l

02. For **exhaustion**:

1 – 3 % o.g.w.
temperature: 30 – 35°C

pH: ca. 4,5 – 5 for acetic Acid
time: 20 – 30 minutes

**Gots 6.0, ZDHC MRSL v 2.0 approved
and compliant with GRS.**